










FIBER LASER ENGRAVER

Our newest product is the Fiber Laser Engraver for Flexo. Engraving resolutions up to 5,080 dpi with 1 – 2 beams give our customers new possibilities to engrave flexo plates, sleeves or cylinder with up engraving is available.

COSMOS LASER FLEXO

Easy handling, compact design, fast and high-quality engravings: This is what distinguishes our Cosmos Laser Flexo. With either fiber laser or CO₂ technology with multi-beam technology, the machine is suitable for dry offset engraving or label printing as well as 3D engraving and packaging be realized with up to 5,080 dpi.

We have the right machine version for every customer: all our laser engraving machines, this is equipped with an implemented.





acousto-optical modulator (AOM). With this technology, the printing of EPDM plates, sleeves and cylinders. 100 L/cm can finest engraving results can be achieved at high switching

Undercut, variable shoulder settings, the intelligent Easy with 500 or up to 1,500 watts, with single or double beam Template software, a user-friendly interface and many other technology. For customers who want to engrave silicones or software tools simplify the handling of the machine. Indiother non-fiber materials, we offer a 500-1,000 Watt Sealed vidual requirements, such as the integration of the respec-CO₂ laser that produces fine engravings up to 2,540 dpi. Like tive national language into the control panel, can also be

COSMOS LASER SCREEN

The Cosmos Laser Screen shows new possibilities of screen engraving. With either 1 or 2 beams and a resolution of up to 2,540 dpi, our screen engraving is suitable for the highest demands and effective production. The highlight of our system: No external gas is required. This significantly reduces operating costs compared to conventional systems.



OUR COMPANY NETWORK

AKK GmbH


Königsberger Straße 117 47809 Krefeld · Germany Tel. +49 2151 159 227 0 E-Mail office@a-k-k.de

High performance products You prefer, we provide.

NeW

paste, or transfer wax process are provided for each

for the embossing we offer a high quality 2D and 3D up to 5,080 dpi with 1–2 beams give our customers new possibilities to engrave flexo plates, sleeves and cylinders with up to 200 Lpi. As well a CO₃ Laser for Flexo and Screen Engraving is available.













EPDM technology

THE COSMOS FLEXO WORKFLOW COMPARED TO THE POLYMER TECHNOLOGY


		NEW
STEPS	POLYMER TECHNOLOGY	EPDM TECHNOLOGY
1	DTP workstation	DTP workstation
2	Back side exposure	Plate mounting directly on printing adapter
3	Mask exposure	3D engraving
4	Main exposure	Washing with water, ready for printing machine
5	Developing and washing	
6	Dry plates	
7	UVA surface hardening	- tive
8	UVC surface hardening	More effective
9	Cutting plates	More effective and faster than the Polymer!
10	Register holes	[[IE]
11	Plate mounting on printing adapter	
12	Ready for printing machine	



Elaborate, non-standardized board production based Standardized plate production with repeatability on water. Large consumption of energy resources.



guarantee. Chemical-free and low energy resource consumption.











PRODUCTION

- Standardized digital plate production
- ✓ No fluctuations within the plate production
- ✓ Significantly less waste
- Very low cleaning and maintenance costs (approx. 5 minutes per day)
- ✓ Printing personnel can procedure clichés printing plates themselves
- ✓ Manufacturing process free of toxic materials
- ✔ Production of low-cost, high-quality printing plates
- ✓ Lower total production costs EPDM vs. polymer

ENVIRONMENT

- ✓ No use of hazardous substances
- ✓ No polluting exhaust gases during production
- ✓ No waste to be disposed of after use
- ✓ No chemical cleaning agents necessary
- ✓ Lower CO₂ consumption during production compared to the polymer plate process



Precise engraving without mounting

LESS REJECTS. LESS TIME. RESOURCE SAVINGS.

Step 1

The EPDM plate is glued directly onto press adapter. The precise mounting of the plate after the engraving process is no longer necessary.

Step 2

The engraving is done directly in register in the Cosmos Flexo Laser. The plate prints directly with a perfect fit. No further registration necessary.

Step 3

Cleaning of the impression cylinder adapter with EPDM engraved plate in the washing machine only with water. Flitering of coarse particles, residual water harmless.

Step 4

Ready for printing! The plate is reusable, storable and can be disposed eco-friendly (household waste).









